Submittal Data Sheet



Part #	Description
See Below	NP Manifold Uni-bloc Fittings

Project Information		
Job Name:		
Location:	Date Submitted:	
Engineer:	Submitted by:	
Contractor:	Approved by:	
Manufacturer's Representative:		

Application

Attaching PEX/PE-RT tubing to Roth NP Manifolds

Product Information

This unique patented single-piece design integrates the traditional 3-piece assembly into one easy to use fitting. Through its inspection ports the installer is able to ensure that the pipe is fully seated.

Technical Information

Image key:

Plated brass nut - EN 12165 CW617N

2. O-ring seals - EPDM

3. Brass tubing barbed adaptor
4. Brass split ring
EN 12164 CW614N
EN 12164 CW614N

Manifold connection - M24 x 19

Maximum Pressure - 230psi (16 bar)


Maximum operating pressure * - 145psi (10 bar)

Maximum operating temperature* - 230°F (110°C)

^{* -} Same as manifold

Size (in.)	Torque Rating (ft. lb.)
3/8	22 - 25.5
1/2	22 - 25.5
5/8	25.5 - 29.5
3/4	29.5 - 33





Part Numbers

	Part Number	Description	
	2315031016	NP Manifold Uni-bloc Fittings	3/8"
	2315031017	NP Manifold Uni-bloc Fittings	1/2"
	2315031018	NP Manifold Uni-bloc Fittings	5/8"
	2315031019	NP Manifold Uni-bloc Fittings	3/4"

Contact Information

Roth Industries, Inc. 268 Bellew Ave. S. Watertown, NY 13601

Telephone: US (888) 266-7684 Canada (800) 969-7684 Fax: US & Canada (866) 462-2914